The Bryologist 100(4), pp. 560–569
Copyright © 1997 by the American Bryological and Lichenological Society, Inc.

Index to Volume 100 of The Bryologist

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." In this index, lichen substances and selected keywords in the titles and text of articles are also included.

There are several possibilities for enhancing future indexes. We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

2-*O*-methylsulphurellin, 523
4-*O*-methylphysodic acid, 451+
5-*O*-methylhiascic acid, 524

Acaena magellanica, 353*
Acaulon muticum complex, 32
Acer circinatum, 385+; macrophyllum 385+
Acoleus, 343+
Adak Island, Alaska (lichens), 241+m
Africa (Pseudoparmelia), 485+
AGASHE, SHRIPAD. Paleobotany. Plants of the past, their evolution, paleoenvironment and application in exploration of fossil fuels [review], 557
Ahtiana, 109
Air quality (lichens), 478+
Alaska (lichens), 241+
Alberta (mosses), 1+
Alectoria sarmentosa, 241, 461
Aleutian Islands (lichens), 241+
ALLEN, B. *See* REDFEARN, P., JR., 416+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—172, 254+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—173, 398+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—174, 537+
ALLEN, BRUCE. *See* MAGILL, ROBERT, 135+
Allocetraria, 109; stracheyii, 112*
Almbornia, 110
Alnus rubra, 385+; sinuata, 385
Aloina bifrons, 32
Alps, Southern (Sphagnum), 507+
Amandinea, 159+; coniops, 159+; **dakotensis** comb. nov., 160m; lecideina, 159; **leucomela** comb. nov., 162; **milliaria** comb. nov., 162m; petermannii, 159; **polyspora** comb. nov., 164; punctata, 159+
Amblystegium adpressum, *83*; chrysophyllum var. zemliae, 82; elodes, *78*; hispidulum, *73*+; hygrophilum, *83*; juratzkanum var. adpressum, 83; longicuspis, *80*; polygamum, *82*; radicale, 66+*; saxatile, *83*; sect. Campyliadelphus, *76*; sect. Hispidula, *73*; serpens ssp. juratzkanum var. adpressum, *83*; squarrosulum, *85*; uncinatum var. hartzii, 99
Amblystegiaceae, 98+
Americas (Ditrichum), 212+
Anacolia, 324+; laevisphaera, 237; menziesii, 237
Anacoliopsis, 343+
Anaptychia, 217; ephebea, *220*; intricata, *220*; intricata v. cylindrica, *220*; intricata v. spinifera, *220*; intricata var. denudata, *220*; palmulata, 150+
ANCORA, STEFANIA. *See* LOPPI, STEFANO, 251+
ANDERSON, LEWIS E. *See* REESE, WILLIAM D., 92+
Andreaea, 440; alpina, 319; blyttii, 6, 308+*m; nivalis, 6, 319; rothii, 319+, 443
Andreaeobryum, 440; macrosporum, 440+*
ANDREAS, BARBARA K. *See* SNIDER, JERRY A., 417
ANDRUS, RICHARD E. [Review of:] Bisang, Irene & Edwin Urmi. Conservation of Bryophytes in Europe. Means and Measures. Cryptogamica Helvetica 18: 1–193, 277
Anisomeridium biforme, 450+
Anomodon attenuatus, 95; minor, 95; rugelii, 95
Antarctica (Catillaria corymbosa), 171+
Anthraquinone, unknown, 484+
Anthroquinones, 451+
Antitrichia curtipendula, 386+
Anzia colpodes, 150+
Archidium, 445+; sp., 59+
Archidium tenerrimum, 445
Arctocetraria, 109
Areofissidens, 195
Arizona (lichens), 102+; (Usnea), 286+
Arkansas (Fissidens taylorii), 525
ARUP, ULF. Correction of Reports of Two Caloplaca Species from North America, 516
Asahinea, 109
Ascoma ontogeny, 180+
Asia (Coscinodon), 50+
Aspicilia, 180; calcarea, 180; cinerea, 180
Asterella drummondii, 28
Atranorin, 451+, 482+, 522+
Aulacomnium, 446; acuminatum, 6; palustre, 445
Aulacopilium hodgkinsonae, 59+
Australia (Eastern), 28+
Australia (North Queensland dry rainforest), 56+m
Australiaena, 159
Azorella selago, 351+*

Bacidia viridifarinosa, 522
Baja California (Graphis saxorum), 207+; (Usnea), 284+
Barbatic acid (Usnea), 283+
Barbula anserinocapitatus, *237*; calycina, 59+; chrysopoda, 520; convoluta var. convoluta, 520; **convoluta var. eustegia** comb. nov., 520; convoluta var. gallinula, 520; crinita, 28; enderesii, 520; eustegia, *520*; flavipes, 520; hornschuchiana, 32; linearis, 59+; whitehouseae, 520
BARGAGLI, ROBERTO. *See* LOPPI, STEFANO, 251+
BARTHOLOMEW-BEGAN, SHARON. [Review of:] Roger V.

0007-2745/97/560–569$1.15/0

The Bryologist 100(4), pp. 560–569
Copyright © 1997 by the American Bryological and Lichenological Society, Inc.

Index to Volume 100 of The Bryologist

EMILY L. POWOROZNEK
Engineering, Mathematics, and Computer Science Library, Kingsbury Hall, University of New Hampshire, 33 College Rd., Durham, NH 03824-3591

DAVID M. LANE
Biological Sciences Library, Kendall Hall, University of New Hampshire, 129 Main St., Durham, NH 03824-3590

This index includes all authors and all scientific names of plants under study. Taxa listed in checklists are not included to avoid complete duplication of the checklists in the index. The format of previous indexes is retained for continuity: new scientific names and combinations are in boldface, page numbers of synonyms are in italics, taxa mentioned several times in an article are indicated by a plus sign (+) after the page number, and illustrations are indicated by an asterisk (*). In addition, maps are indicated by a small "m." Checklists and keys are grouped under the entries "Checklist" and "Key." In this index, lichen substances and selected keywords in the titles and text of articles are also included.

There are several possibilities for enhancing future indexes. We welcome all comments and suggestions. Please send them to david.lane@unh.edu.

2-*O*-methylsulphurellin, 523
4-*O*-methylphysodic acid, 451+
5-*O*-methylhiascic acid, 524

Acaena magellanica, 353*
Acaulon muticum complex, 32
Acer circinatum, 385+; macrophyllum 385+
Acoleus, 343+
Adak Island, Alaska (lichens), 241+m
Africa (Pseudoparmelia), 485+
AGASHE, SHRIPAD. Paleobotany. Plants of the past, their evolution, paleoenvironment and application in exploration of fossil fuels [review], 557
Ahtiana, 109
Air quality (lichens), 478+
Alaska (lichens), 241+
Alberta (mosses), 1+
Alectoria sarmentosa, 241, 461
Aleutian Islands (lichens), 241+
ALLEN, B. *See* REDFEARN, P., JR., 416+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—172, 254+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—173, 398+
ALLEN, BRUCE & RONALD A. PURSELL. Recent Literature on Mosses—174, 537+
ALLEN, BRUCE. *See* MAGILL, ROBERT, 135+
Allocetraria, 109; stracheyii, 112*
Almbornia, 110
Alnus rubra, 385+; sinuata, 385
Aloina bifrons, 32
Alps, Southern (Sphagnum), 507+
Amandinea, 159+; coniops, 159+; **dakotensis** comb. nov., 160m; lecideina, 159; **leucomela** comb. nov., 162; **milliaria** comb. nov., 162m; petermannii, 159; **polyspora** comb. nov., 164; punctata, 159+
Amblystegium adpressum, *83*; chrysophyllum var. zemliae, 82; elodes, *78*; hispidulum, *73*+; hygrophilum, *83*; juratzkanum var. adpressum, 83; longicuspis, *80*; polygamum, *82*; radicale, 66+*; saxatile, *83*; sect. Campyliadelphus, *76*; sect. Hispidula, *73*; serpens ssp. juratzkanum var. adpressum, *83*; squarrosulum, *85*; uncinatum var. hartzii, 99
Amblystegiaceae, 98+
Americas (Ditrichum), 212+
Anacolia, 324+; laevisphaera, 237; menziesii, 237
Anacoliopsis, 343+
Anaptychia, 217; ephebea, *220*; intricata, *220*; intricata v. cylindrica, *220*; intricata v. spinifera, *220*; intricata var. denudata, *220*; palmulata, 150+
ANCORA, STEFANIA. *See* LOPPI, STEFANO, 251+
ANDERSON, LEWIS E. *See* REESE, WILLIAM D., 92+
Andreaea, 440; alpina, 319; blyttii, 6, 308+*m; nivalis, 6, 319; rothii, 319+, 443
Andreaeobryum, 440; macrosporum, 440+*
ANDREAS, BARBARA K. *See* SNIDER, JERRY A., 417
ANDRUS, RICHARD E. [Review of:] Bisang, Irene & Edwin Urmi. Conservation of Bryophytes in Europe. Means and Measures. Cryptogamica Helvetica 18: 1–193, 277
Anisomeridium biforme, 450+
Anomodon attenuatus, 95; minor, 95; rugelii, 95
Antarctica (Catillaria corymbosa), 171+
Anthraquinone, unknown, 484+
Anthroquinones, 451+
Antitrichia curtipendula, 386+
Anzia colpodes, 150+
Archidium, 445+; sp., 59+
Archidium tenerrimum, 445
Arctocetraria, 109
Areofissidens, 195
Arizona (lichens), 102+; (Usnea), 286+
Arkansas (Fissidens taylorii), 525
ARUP, ULF. Correction of Reports of Two Caloplaca Species from North America, 516
Asahinea, 109
Ascoma ontogeny, 180+
Asia (Coscinodon), 50+
Aspicilia, 180; calcarea, 180; cinerea, 180
Asterella drummondii, 28
Atranorin, 451+, 482+, 522+
Aulacomnium, 446; acuminatum, 6; palustre, 445
Aulacopilium hodgkinsonae, 59+
Australia (Eastern), 28+
Australia (North Queensland dry rainforest), 56+m
Australiaena, 159
Azorella selago, 351+*

Bacidia viridifarinosa, 522
Baja California (Graphis saxorum), 207+; (Usnea), 284+
Barbatic acid (Usnea), 283+
Barbula anserinocapitatus, *237*; calycina, 59+; chrysopoda, 520; convoluta var. convoluta, 520; **convoluta var. eustegia** comb. nov., 520; convoluta var. gallinula, 520; crinita, 28; enderesii, 520; eustegia, *520*; flavipes, 520; hornschuchiana, 32; linearis, 59+; whitehouseae, 520
BARGAGLI, ROBERTO. *See* LOPPI, STEFANO, 251+
BARTHOLOMEW-BEGAN, SHARON. [Review of:] Roger V.

0007-2745/97/560–569$1.15/0

Jean. Phyllotaxis. A Systemic Study in Plant Morphogenesis, 417+
Bartramia, 324+; affinis, *325*; arundinifolia, *327*; crassicaulis, *330*; dicranacea, *331*; halleriana, 1+; microdonta, *338*; stricta, 419
Bartramiaceae, 324+
Bartramidula, 324
Beck, L. C., 198+
BELLAND, RENÉ J. *See* VITT, DALE H., 1+
BERGSTROM, DANA & PATRICIA SELKIRK. Distribution of Bryophytes on Subantarctic Heard Island, 349+
Beta-orcinol depsidones, 482+
Beta-orcinol depsidones (Usnea), 283
Beta-orcinol meta-depsides, 483
Beta-orcinol metadepside (Usnea), 283
Beta-orcinol paradepsides (Usnea), 283
BISANG, IRENE & EDWIN URMI. Conservation of Bryophytes in Europe. Means and Measures. Cryptogamica Helvetica 18: 1–193 [review], 277
Blepharidophyllum densifolium, 351+
Blepharoplast, 440+
Blindia robusta, 351+
Borrera atlantica, *220*; ephebea, *220*; solenaria, *220*
Brachymenium indicum, 59+
Brachythecium, 72; acuminatum, 95, 359+*; austro-salebrosum, 351; calcareum, 5; edentatum, 101; laetum, 359+*; oxycladon, *359+*; pachytheca, *84*; paradoxum, 351; plumosum, 84; reflexum, 1+; salebrosum, 359+; spp., 351+*
Braginsella anomala sp. nov., 363+*
Braginsella gen. nov., 362+
BREIL, DAVID ALLEN (Memorial), 419
Breutelia, 324+m; affinis, 325+*m; angustifolia, *338*; aristifolia, 325+*m; arundinifolia, 325+*m; crassicaulis, 324+*m; dicranacea, 324+*m; eugeniae, 325+*m; indica, *331*; kilaueae, *326*; kinabaluensis, 325+*m; longicapsularis, 325+*m; merrillii, *338*; microdonta, 325+*m; neocaledonica, 338; papuensis, 325+*m; pendula, 346; roemeri, 325+*m; sclerodictya, *338*; setswanica, *333+*; subdeflexa, *333+*; yunnanensis, 325+*m
Breutelioideae, 324+
British Columbia (Caloplaca), 516
BROTHERUS, VIKTOR FERDINAND (photograph of grave), 144
BROWN, ROY C. *See* CAROTHERS, ZANE B., 440+
Bryoria bicolor, 150+; furcellata, 150+
Bryum, 4; argenteum, 32; calobryoides, 6; knowltonii, 5; pachytheca, 32; pseudotriquetrum, 321, 351+; sp. A, 59+; sp. B, 59+
BUCK, WILLIAM R. *See* THIERS, BARBARA M., 131+, 394+
BUCK, WILLIAM R. & BARBARA M. THIERS. Recent Literature on Hepatics and Anthocerotes—148, 272+
BUCK, WILLIAM R. & BARBARA M. THIERS. Recent Literature on Hepatics and Anthocerotes—150, 529+
Buellia langloisii, *162*; leucomela, *162*; myriocarpa var. polyspora, *164*; placodiomorpha, 168; placodiomorphoides, 168; polyspora, *164*; stillingiana, 450+; subdisciformis, 168; wheeleri, 450+
Bulbothrix, 485; goebelii, 150+; isidiza, 150+; laevigata, 150+
Butlerins (A, B, C, D, E, F), 484+
Buxbaumia viridis, 6

California (Graphis saxorum), 207+
Calliergidium plesistramineum, *100*; pseudostramineum var. hoveyi, *100*
Calliergon, 72; sarmentosum var. beringianum, *100*; sarmentosum var. fallaciosum, *100*; sarmentosum var. flagellare, *100*; sarmentosum var. fontinaloides, *100*
Caloplaca cerina, 450+; chlorina, 170; flavogranulosa, 516; gloriae, 516; isidiigera, 170; microthallina, 516; sideritis, 170; verruculifera, 516
Calycin, 451+
Calyptothecium acutum, 59+
Campyliadelphus, 65+; chrysophyllus, 65+*; elodes, 65+; **glaucocarpoides** comb. nov., 78; polygamum, 65; polygamus, *82*; protensus, *80*; radicale, 65; stellatum, 65; stellatum var. brotheri, 65; stellatus, *80*
Campylium, 65+; adscendens, *86*; amblystegioides, 84; annamense, 84; arcticum, *66+*; calcareum, *66+*; campylophylloides, *75*; cardotii, *66+*; chrysophyllum, *66+*; chrysophyllum var. brevifolium, *86*; chrysophyllum var. zemliae, *83*; courtoisii, *78*; creperum, 73+; elodes, *65+*; enerve, 84; glaucocarpoides, *78*; gollani, 84; halleri, *65+*; hispidulum, *65+*; hispidulum var. cordatum, *74*; hispidulum var. sommerfeltii, *75*; husnotii, *86*; hygrophilum, *83*; hylocomioides, 84; krylovii, *86*; lacerulum, *65+*; laxifolium, 66+; longicuspis, 66+; molle, 84; okamurae, *83*; pachytheca, 84; polygamum, *66+*; polygamum var. fluitans, *82*; polygamum var. longinerve, *86*; polymorphum, *80*; porphyreticum, 75; praegracile, *76*; protensum, 65+; pseudochrysophyllum, *85*; pseudocomplexum, *82*; pulchrum, *74*; quisqueyanum, *76*; radicale, *66+*; rishirense, 65+; rufo-chryseum, *77*; sect. Campiadelphus, *76*; sect. Campyliadelphus, *76*; sect. Filariella, *73*; serratifolium, *85*; serratum, 85; sinuolatum, *77*; sommerfeltii, *65+*; squarrifolium, *85*; squarroso-bysoides, 75; squarrosulum, 65, 85; stellatum, 66+*; stellatum ssp. cardotii, *82*; stellatum ssp. treleasei, *86*; stellatum var. adscendens, *86*; subdecursivulum, *86*; subg. Campylidium, *72*; subg. Eucampylium, 84; tenerum, *85*; treleasei, *86*; trichocladium, *76*; uninervium, *85*; uninervium var. minus, 75; zemliae, *82*; [subg. Campylidium] sect. Hispidula, *73*; [subg. Eucampylium] sect. Chrysophylla, *76*; [subg. Eucampylium] sect. Stellata, *78*
Campylophyllum, 66; **calcareum** comb. nov., 74; **creperum** comb. nov., 75; halleri, 66+; **hispidulum** comb. nov., 66+*; **lacerulum** comb. nov., 66+*; **quisqueyanum** comb. nov., 66+; **sommerfeltii** comb. nov., 66+
Campylopus, 436; pulvinatus var. alpestris, *518*
Candelaria concolor, 150+, 450+; fibrosa, 150+; spraguei, 238
Candellariella reflexa, 450+; xanthostigma, 450+
Canonical Correspondence Analysis, 31+, 508
Canoparmelia, 150+, 483+; amazonica, 150+; caroliniana, 150+; crozalsiana, 150+, 450+; cryptochlorophaea, 150+; owariensis, 483; raunkiaeri, 483; texana, 150+, 483
Caperatic acid, 451+
CAROTHERS, ZANE B., ANN E. RUSHING & ROY C. BROWN. The Blepharoplast of the Midstage Spermatid of Andreaeobryum macrosporum (Bryophyta: Andreaeopsida), 440+
Cascade Mountains, Oregon (Lobaria pulmonaria), 458+
Cascade Range, Oregon (bryophytes), 385+
CASSELL, DAVID. *See* MCCUNE, BRUCE, 40+
Catapyrenium pilosellum, 32; squamulosum, 32
Catillaria corymbosa, 171+*
Catoscopium, 324+
Cenomyce hirta, *220*
Cephaloziella pellucida, 363
Ceratodon purpureus, 505
Cetraria, 109; aculeata, 112*; albopunctata, 110; americana, 150+; annae, *110*; antarctica, 110; ciliaris, 150+, 241; citrina, *110*; commixta, 110; coralligera, 110; der-

matoidea, 110; fendleri, 110, 150+; hypotrachyna, 110; islandica, 109, 113*; kurokawae, 110; leucostigma, 110; melaloma, 110; microphylla, 110; novazelandiae, 110; oakesiana, 150+; orbata, 150+; pallescens, *110*; sepincola, 110; subfendleri, 110; subscutata, 110; viridis, 150+; wallichiana, 110; weberi, 110; xizangensis, 110
Cetraria-type lichenan, 484
Cetrariastrum, 110
Cetrariella, 110; deliseri, 112*
Cetrarioid lichens, 109+
Cetrariopsis, 110; laii, *110*; pallescens, *110*; pallescens var. citrina, *110*; wallichiana, *110*
Cetrelia, 110; cetrarioides s.l., 150+; chicitae, 150+; olivetorum, 150+
Cetreliopsis, 110
Checklist (Bryophytes, Heard Island), 352+
Checklist (Cetrarioid Lichens), 111+
Checklist (Lichens of Adak Island, Central Aleutian Islands, Alaska), 244+
Chenia leptophylla (glycerol mounts), 381
Chiba-ken, Japan (Dimerella kawanae), 454+
China (Frullania fengyangshanensis), 356+
China (Plagiochila), 467+
Chondropsis, 110
Chrysohypnum articum, *82*; krylovii, *86*; pseudochrysophyllum, 85
Chrysopidae, 448
CHURCHILL, STEVEN P. & EDGAR L. LINARES C. Prodromos Bryologiae Novo-Granatensis. Introducción a la Flora de Musgos de Colombia [review], 279
Cinclidium arcticum, 505
Cirriphyllum, 72
Cladina mitis, 368+; pseudoevansii, 241; rangiferina, 368+*; stellaris, 375
Cladonia, 386+; bacillaris, 150+; ceaspiticia, 150+; chlorophaea s.l., 150+; coniocraea, 150+; cristatella, 150+; cylindrica, 150+; didyma, 150+; floerkeana, 150+; furcata, 150+; macilenta, 150+; mateocyatha, 150+; mitis, 175; ochrochlora, 150+; parasitica, 150+; peziziformis, 150+; portentosa, 252; pseudoevansii, 241; ramulosa, 150+; ravenelii, 150+; simulata, 150+; sp., 32; squamosa, 150+; subradiata, 150+; vulcanica, 150+
Claopodium crispifolium, 386+
Clasmatodon parvulus, 95
Clauzadeana, 379
CLEAVITT, NATALIE & TRACEY MATTOCK. [Review of:] Iwatsuki, Zen (ed.). Bryophytes I. Mosses. & Iwatsuki, Zen & N. Kitagawa (eds.). Bryophytes 2. Mosses and Liverworts. Asahi Weekly Encyclopedia: The World of Plants. Volumes 136 & 137, 416
CLERC, PHILIPPE & MARIA ANGELES HERRERA-CAMPOS. Saxicolous Species of Usnea Subgenus Usnea (Lichenized Ascomycetes) in North America, 281+
Cliostomum flavidulum, 522
Coast Range, Oregon (bryophytes), 385+; (Lobaria pulmonaria), 458+
Coccocarpa palmicola, 150+; erythroxyli, 150+
Cochrane-Mantel-Haenszel statistic, 58
Coelopogon, 110
Collema, 150+; coccophorum, 31; coccophorum morph. gp. A, 32; coccophorum morph. gp. B, 32; conglomeratum, 150+; nigrescens, 150+; subflaccidum, 150+
Competition (Sphagnum), 302+
Concamerella, 110
Connorstictic acid, 207, 451+
Conomitrium generalium, *195*, semi-limbatum, *196*
Conostomum, 324+
Consalazinic acid, 484+
Constictic acid, 484
Cornicularia, 110; normoerica, 112*
Coronaton, 522
Corylus cornuta, 385
Coscinodon arctolimnius, 50+m; arctolimnius subsp. arctolimnius, 51+*m; **arctolimnius subsp. higuchii**, 51+*m; cribosus, 50
Cratoneuron commutatum var. falcatum, *98*; commutatum var. sulcatum, *98*; commutatum var. virescens, *98*; decipiens, *98*; falcatum, *98*; williamsii, *98*
Crossidium aberrans, 14; crassinerve, 14; davidai, 32; geheebii, 32; squamiferum, 14
CRUM, HOWARD. [Review of:] P. Redfearn, Jr., B. Allen & R. Magill (eds.). Mosses of the Interior Highlands Exsiccatae. Fascicle 1, 416+
Cryptocolea, 362
Cryptostictic acid, 484
Ctenidium (Euctenidium) tenerum, 85; campylophylloides, *75*; praegracile, 76; serratifolium, 85; squarrifolium, *85*; trichocladium, *76*
CULBERSON, WILLIAM LOUIS. *See* REESE, WILLIAM D., 140+
Cynodontium bogotense, *212**
Cyrtomnium hymenophylloides, 499+*m; hymenophyllum, 499+

Dactylina, 110
DALSGAARD, MADS S. *See* MOGENSEN, GERT STEEN, 47+
Debris packets, 448+
DEGUCHI HIRONORI. *See* HASTINGS, ROSS I., 50+
DELGADILLO M., CLAUDIO. [Review of:] Steven P. Churchill & Edgar L. Linares C. Prodromos Bryologiae Novo-Granatensis. Introducción a la Flora de Musgos de Colombia, 279
DEMARET, F., T. ARTS, J.-L. DE SLOOVER & P. DE ZUTTERE. Flora Générale de Belgique. Bryophytes, Volume III, Fascicle 2, pages 113–262 [review], 557+
Dendroalsia abietina, 386+
Deschampsia antarctica, 353*
Desmatodon convolutus, *13*, 32
DEY, JONATHAN P. *See* MCCUNE, BRUCE, 40+
DEY, JONATHAN. *See* MCCUNE, BRUCE, 145+
Dichelodontium, 438
Dichelyma falcatum, 5
Dichodontium olympicum, 6
Dicranella cf. varia, 359+; heteromalla, 5
Dicranoloma billardieri, *351*
Dicranoweisia brevipes, 351; breviseta, 351; spp., 351+*
Dicranum, 4; billardieri, 351+; majus, 5; ontariense, 6; pallidisetum, 6; scoparium, 386+
Didymodon anserinocapitatus, 237+*; johansenii, 237*; rigidulus var. subulatus, 237; sinuosus, 237; torquatus, 32; vinealis, 5, 14
Diffractaic acid (Usnea), 283+
Dimerella, 454+; epiphylla, 454; **kawanae** sp. nov., 454+*; lutea, 454; pineta, 454; wrightii, 454
Diomedella disjungenda, 378
Diploschistes thunbergianus, 32
Diplostichum ulei, *194*
Dirina paradoxa, 207
Dirinaria confusa, 150+
Distichium capillaceum, 363
Ditrichaceae, 212+
Ditrichum, 212+; bogotense, 212+; crispatissimum, 212; difficile, 212; flexicaule, 214; giganteum, 214; immersum, 352; mexicanum, 212; montanum, 5; pallidum, 212; rhyncostegium, 212; rufescens, 212; strictum, 212; venezuelanum, 212+*
Drepanocladus, 66+, 101; aduncus, 70; **arcticus** comb.

nov., 67+; **cardotii** comb. nov., 71+; crassicostus, 5; exannulatus var. polaris, *99*; longicuspis, *80*; lycopodioides var. miquelonense, *100*; **polygamus** comb. nov., 66+*; revolvens var. miquelonense, *100*; uncinatus, 321, 351+*
Dryptodon pulvinatus var. alpestris, *518*; patens, 5

ECKEL, PATRICIA M. Tortella knightii, and Australasian Species New to South America in Tierra del Fuego, 210+
Ectropothecium serratifolium, *85*; squarrifolium, 85
Editors (The Bryologist), 140+
EGEA, JOSÉ M. & PILAR TORRENTE. Graphis saxorum (Lichenized Ascomycotina, Graphidaceae) a New Species from California and Baja California, 207+
Eiglera flavida, 180+
Eigleraceae, 180+
ELDRIDGE, DAVID J. & MERRIN E. TOZER. Environmental Factors Relating to the Distribution of Terricolous Bryophytes and Lichens in Semi-arid Eastern Australia, 28+
Electrophoresis, 227
ELIX, JOHN A. and THOMAS H. NASH, III. A Monograph of the Lichen Genus Pseudoparmelia (Ascomycotina, Parmeliaceae), 482+
Emmons, E. (Senior), 198+
Encalypta brevipes, 6
Endocarpon pallidum, 32; pusillum, 32; rogersii, 32; simplicatum var. bisporum, 32
ENGEL, JOHN J. [Review of:] Martin J. Wigginton & Riclef Grolle. Catalogue of the Hepaticae and Anthocerotae of Sub-Saharan Africa. Bryophytorum Bibliotheca 50: 1–267, 556+
Entodon cladorrhizans, 95; mackayensis, 59+; plicatus, 59+; seductrix, 95
Environmental factors (Australia), 28+
Epiphytic bryophytes (commercial harvest), 383+
Eremastrella crystallifera, 32
Erpodium australiense, 59+; beccarii, 59+
ESSLINGER, THEODORE L. Recent Literature on Lichens—164, 123+
ESSLINGER, THEODORE L. Recent Literature on Lichens—165, 262+
ESSLINGER, THEODORE L. Recent Literature on Lichens—166, 404+
ESSLINGER, THEODORE L. Recent Literature on Lichens—167, 545+
Esslingeriana, 110; idahoensis, 113*
Eurhynchium, 72; oreganum, 386+; praelongum, 85
Europe (Mnium hornum), 226+
Evernia intricata var. cylindrica, *220*; prunastri, 461; sprengelii, *220*
Everniastrum, 110; catawbienses, 150+
Everniopsis, 110

Fabronia australi, 59+
FAHSELT, DIANNE. *See* TREMBLEY, MARCELLA L., 368+
Fatty acids (Usnea), 283+
Fellhaneropsis vezdae, 522
FENSHAM, RODERICK J. & HEINAR STREIMANN. Broad Landscape Relations of the Moss Flora from Inland Dry Rainforest in North Queensland, Australia, 56+
Fibercles (Usnea), 282+*
Fire damage (lichens), 102+
Fissidens, 193+; amazonicus, 195; anguste-limbatus 193; brachypus, 193; brevipes, 196; caldensis, *194*; camptodontius, *104*; cataractarum, *194*; costesii, *193*; crispus, 193; crumii, *195*; curvatus, 527; curvinervis, *196*; elegans, 194; excurrentinervis, 525; flaccidus, 194; fossicola, *193*; geheebii, 525; guianensis, 194; haemicheilos, *196*; inaequus, *196*; incisus, 527; limbatus, *193*; lindbergii, 195; linearis, 59+; maceratus, *194*; mateoënsis, 195; megacistis, *194*; microblastus, *196*; milobakei, 527; minutus, 195; mollis, 194; moritizianus, *196*; neonii, 527; palmatulus, *194*; perobtusus, 59+; pygmaeus, 525; ramicola, 196; reticulosus, 195; sanctae-crucis, *193*; scalaris, 527; scariosus, 195; schwackeanus, *194*; schwackeanus var. terrestris, *195*; sciuroides var. vaginatus, 97; semi-marginatus, *195*; sp., 59+; splachnobryoides, *194*; submarginatus, 195; subramicola, 196; taylorii, 525+*; taylorii var. taylorii, 525; townsendii, *193*
Flavocetraria, 110; cucullata, 112*
Flavoparmelia caperata, 150+, 450+, 478+
Flavopunctelia flaventior, 150+; praesignis, 103+
Fleischerobryum, 324+
Flowersia, 324+
Foliose lichen thallus (trace elements), 251+
Forest Health Monitoring (FHM) program, 40, 145+
Forsstroemia producta, 22; trichomitria, 95
Fossombronia alaskanum, 49; spp., 32
FRAHM, JAN-PETER. The Skull of Karl Friedrich Schimper (1803–1867), 423+
Frullania bolanderi, 387; **fengyangshanensis** sp. nov., 356+*; retusa, 358; tamarisci subsp. nisquallensis, 386+; usamiensis, 356+
Fumarprotocetraric acid, 522
Fumarprotocetraric acid (Usnea), 286
Funaria, 446; hygrometrica 445; radians, 59+
Funariaceae, 425, 437

Galbinic acid, 451+
Galbinic acid (Usnea); 283+
Geographical distribution (Cyrtomnium hymenophylloides), 499+
Gigaspermum repens, 32
Glacial retreat (bryophyte distribution), 349+
Globulina peruviana, *520*
Globulinella peruviana, *520*
Glycerine jelly (bryophyte mounts), 380+
Glycerol (bryophyte mounts), 380+
Glyphomitrium, 426
GOFFINET, BERNARD. The Rhachitheciaceae: Revised Circumscription and Ordinal Affinities, 425+
Gondwana (Breutelia distribution), 346
Goniomitrium enerve, 32
Gradient analysis, 41, 508
Gradient scores (lichens), 40+
Gradients (lichens), 145+
Graphidaceae, 207+
Graphina saxiseda, 207
Graphis saxorum sp. nov., 207+*; scripta, 450+
Green lacewing, 448+
Greenland (Cyrtomnium hymenophylloides), 499+
Greenland (Pterygoneurum), 47+
Grevilleanum serratum, *198+**
GRIES, CORINNA. *See* ROMAGNI, JOANNE, 102
GRIFFIN, DANA III. *See* SEPPELT, RODNEY D., 212+
Grimmia, 4; alpestris, 517+, *518*; alpestris var. eualpestris, *518*; anomala, 5; antarctici, 321; arctolimnia, *50*; donniana, 517+; donniana var. alpestris, *518*; donniana var. sudetica, *518*; elatior, 237; immerso-leucophaea, 352+; incurva, 6; laevigata, 518; orbicularis, 14; sessitana, 518; sudetica, 517; tenerrima, 517; tergestina, 518; trichophylla, 6
Grimmiaceae (Coscinodon), 50+
GROLLE, RICLEF & MAY LING SO. Studies on Plagiochila in China I, 467+
Growth dynamics (Lobaria pulmonaria), 458+
Guembelia alpestris, *518*

Gyalectaceae, 454
Gyalideopsis muscicola 523; piceicola, 523
Gypsoplaca macrophylla, 238
Gyrophoric acid, 451+, 524

Habitat inclination (Lasallia pustulata), 465+
Hamatocaulis vernicosus, 99
HANSEN, GUNNAR RYLANDER. *See* MOGENSEN, GERT STEEN, 47+
Haplohymenium triste, 95
HARADA, HIROSHI. Lithothelium japonicum (Lichenized Ascomycotina, Pyrenulaceae), New Pyrenocarpous Lichen from Central Japan, 204+
HARADA, HIROSHI & ANTONIN VĚZDA. **Dimerella kawanae** (Lichenized Ascomycota, Gyalectaceae) sp. nov. from Chiba-ken, Central Japan, 454+
Hardangervidda, Norway (Andreaea blyttii), 308+
Hardwood species (epiphyte preference), 383+
HASTINGS, ROSS I. & HIRONORI DEGUCHI. Taxonomy of Coscinodon artolimnius (Bryopsida, Grimmiaceae) Including a New Subspecies from Asia, 50+
Heard Island (bryophytes), 349+*m
HEDENÄS, LARS. A Partial Generic Revision of Campylium (Musci), 65+
HEDENÄS, LARS. Notes on Some Taxa of Amblystegiaceae, 98+
HEEGAARD, EINAR. Morphological Variation within Andreaea blyttii in Relation to the Environment on Hardangervidda, Western Norway: A Quantitative Analysis, 308+
HEIMAN, KARIN. *See* MCCUNE, BRUCE, 40, 145+
Heppia despreauxii, 32
Heppsora indica, 377+
HERRERA-CAMPOS, MARIA ANGELES. *See* CLERC, PHILIPPE, 281+
HERTEL, HANNES. *See* NASH, THOMAS H., III, 377+
Herzogiella adscendens, 86; seligeri, 6; turfacea, 5
HESTMARK, GEIR. *See* SLETVOLD, NINA, 465+
Heterocladium dimorphum, 5; japonicum, *75*
Heteroderma, 151+; albicans, 150+; appalachensis, 150+; casarettiana, 150+; crocera, 151+; hypoleuca, 151+; leucomelos, 151+; microphylla, 151+; obscurata, 151+; speciosa, 151+; squamulosa, 151+
Heterodermia albicans, 450+; granulifera, 450+
Heterophyllium adscendens, *86*
HOCH, PETER C. & A. G. STEPHENSON. Experimental and Molecular Approaches to Plant Biosystematics [review], 278+
Hollow species (Sphagnum), 302+, 511+
Holodiscus discolor, 385
Holomitrium perichaetiale, 59+
Homalothecium fulgescens, 387; nuttallii, 387
Host preference (epiphytic bryophytes), 383+
Hummock species (Sphagnum), 302+, 511+
Hygroamblystegium, 72
Hygrohypnum, 72; duriusculum, 5
Hymenelia epulotica, 180
Hymeneliaceae, 180+
Hyophila involuta, 59+
Hyperphyscia, 159; adglutinata, 151+; syncolla, 450+
Hypnodontopsis, 425+; apiculatus, 426+; mexicana, 425+*
Hypnum, 65, 445+; (Campylium) hygrophilum, *83*; (Campylium) sinuolatum, *77*; adscendens, *86*; arundinifolium, *327*; bergenense, *83*; byssirameum, *74*; cardotii, *82*; chrysophyllum, *76*+; chrysophyllum var. brevifolium, 86; commutatum var. fluctans, 99; commutatum var. γ. sulcatum, 98; cossonii, *99*; cupressiforme, *24*; decursivulum, 82; falcatum, *98*; falcatum var. virescens, *98*; fluitans ssp. plesistramineum, *100*; glaucocarpoides, *78*; halleri, *74*; hispidulum, *65*+; husnotii, 86; incinatum var. subestriatum, *99*; laetum, *360*; oxycladon, *359*+*; pallescens, 71; plesistramineum, *100*; polygamum var. longinerve, 86; polymorphum, *65*+; protensum, *80*; pseudocomplexum, *82*; pseudostramineum, *100*; radicale, *83*; recurvatum, 71; revolvens, *100*; rufo-chryseum, *77*; sarmentosum, *100*; sarmentosum var. beringianum, *100*; sarmentosum var. fallaciosum, *100*; sarmentosum var. fontinaloides, *100*; scorpioides var. miquelonense, *100*; sect. Campyliadelphus, *76*; sect. Campylidium, *73*; sect. Campylium, *78*; sect. Campylophyllum, *72*; sect. Squarrulosa, *72*; sect. Stellata, *78*; sommerfeltii, *75*; squarrosulum, 77; stellatum, *65*+; stellatum var. subdecursivulum, 86; subg. Campylium, *78*; subg. Campylophyllum, *72*; subg. Chrysohypnum, 86; subsect. Drepanocladus, *82*; subsecundum, *77*; treleasei, *86*; uncinatum, *99*; uncinatum var. subestriatum, *99*; unicostatum, *83*
Hypogymnia, 484; krogiae, 151+; physodes, 102, 151+, 176
Hyposalazinic acid, 484
Hypostictic acid, 484
Hypothamnolic acid, 484+
Hypotrachyna croceopustulata, 151+; gondylophora, 151+; livida, 151+, 450+; osseoalba, 151+; pseudosinuosa, 151+; pulvinata, 103+; pustulifera, 151+; revoluta, 151+; rockii, 151+; shomanii, 151+

IGNATOV, MICHAEL S. *See* ROBINSON, HAROLD, 359+
Imshaugia aleurites, 151+; placorodia, 151+
Ionaspis, 180; lacustris, 186+
Isolichenan, 483+
Isomorphs (lichens), 148+
Isopterygiopsis pulchella, 85
Isopterygium, 86
Isothecium myosuroides, 386+
Italian Alps (Sphagnum), 507+
IWATSUKI, ZEN. (ED.) Bryophytes I. Mosses. Asahi Weekly Encyclopedia: The World of Plants. Volume 136 [review], 416
IWATSUKI, ZEN & N. KITAGAWA. (EDS.) Bryophytes 2. Mosses and Liverworts. Asahi Weekly Encyclopedia: The World of Plants. Volume 137 [review], 416

Jaffueliobryum raui, 237; wrightii, 237
Jamesoniella, 366
Japan (Lithothelium japonicum), 204+
Japan (Mnium orientale), 226+
JARMAN, S. J. & B. A. FUHRER. Mosses and Liverworts of Rainforest in Tasmania and South-eastern Australia [review], 279+
JEAN, ROGER V. Phyllotaxis. A Systemic Study in Plant Morphogenesis [review], 417+
Jonesiobryum, 425+; cerradense, 437; sphaerocarpum, 437; termitarum, 437
Jungermannia, 362+; exigua, *473*; totopapillosa, *366*
Jungermanniaceae, 362+
Jungermannioideae, 362+

Kaernefeltia, 110; californica, 112*
Key (Amandinea in North America), 160
Key (Brachythecium acuminatum vs. B. laetum), 361
Key (Five species of Fissidens), 527
Key (Frullania fengyangshanensis vs. F. usamiensis), 358
Key to Dimerella in Japan, 456
Key to Leucodon in North America north of Mexico, 97
Key to Species of Pseudoparmelia, 485
Key to Species (Usnea), 285
Key to the Campyliadelphus species in North America and Europe, 77

Key to the Campylium species in North America and Europe, 79
Key to the Campylophyllum species in North America and Europe, 74
Key to the North American and European Drepanocladus species previously referred to Campylium, 82
Key to the Segregate genera of Campylium s.l., 72
Key to the Species of Breutelia, 325
Key to the Species of Mnium Section Mnium, 233
Key to the Species of Rhachitheciaceae, 437+
Key to Two Species of Plagiochila, 473
Key to Varieties of Barbula convoluta in North America, 520
KIRSCHBAUM, ULRICH & VOLKMAR WIRTH. Flechten erkennen—Luftgüte bestimmen [review], 277+
KITAGAWA, N. *See* IWATSUKI, ZEN, 416
Kleioweisiopsis, 425
KOPONEN, TIMO. *See* WYATT, ROBERT, 226+
Kurohimehypnum, *76*; ctenidioides, *76*+

Lasallia pustulata, 465+
Laurasian (Breutelia), 346
Lecanora, 180; **comoduensis** sp. nov., 377+*; disjungenda, 378; flowersiana, 378+*; hybocarpa, 450+; jamesii, 523; muralis group, 379; oreinoides group, 377+; strobilina, 164, 449+
Lecanoraceae, 377+
Lecanoric acid, 451+, 524
Lecidea coniops, *160*; ochroleuca, 32
Leiomela, 324+
Lepraria elobata, 523; lobificans, 523; sp. #1, 450+
Leptodictyum, 65; radicale, *83*
Leptodon smithii, 237
Leptogium austroamericanum, 151+; corticola, 151+; cyanescens, 151+; laceroides, 151+; teretiusculum, 151+
Leptopterigynandrum austroalpinum, 238
Lescuraea atricha, 1+; saxicola, 6
Leskea acuminata, *360*; gracilescens, 6; imbricata, *360*; polycarpa, 5; rupincola, *360*; setosa, *360*
Leucobryum ballinense, 59+; candidum, 59+
Leucochrysa pavida (green lacewing), 448+
Leucodon andrewsianus comb. et stat. nov., 92+*; brachypus var. andrewsianus, *92*; immersus, 96; julaceus, 96; sciuroides, 96
Leucolepis acanthoneuron, 386+
Lichen atlanticus, *220*
Lichen community method, 41
Lichen intricatus, *220*; scutelliferus, *220*
Lichen recolonization, 478+
Lichenan, 482+; intermediate type, 484
Lichexanthone, 451+
Lindberg, S. O. (photograph of grave), 143
Liochlaena lanceolata, 362
Lithothelium japonicum sp. nov., 204+*
Lividic acid, 451+
Lobaria oregana 461; pulmonaria, 151+, 458+; quercizans, 151+; ravenelii, 151+
Lobaric acid, 524
Lobothallia radiosa, 187
Loeskhypnum badius, 6
Lophocolea heterophylla (glycerol mounts), 381
LOPPI, STEFANO, LUCA NELLI, STEFANIA ANCORA & ROBERTO BARGAGLI. Accumulation of Trace Elements in the Peripheral and Central Parts of a Foliose Lichen Thallus, 251+
Lost Valley, Boston Mountains, Arkansas, 525
Loxospora pustulata, 450+
LUMBSCH, H. THORSTEN. A Comparison of Ascoma Ontogeny Supports the Inclusion of the Eigeraceae in the Hymeneliaceae (Lecanorales), 180+
Lycopodiobryum, 345

Macromitrium aurescens, 59+; hemitrichodes, 59+; involutifolium subsp. ptychomitrioides, 59+; microstomum, 59+
MADZIA, SUSAN. *See* TREMBLEY, MARCELLA L., 368+
MAGILL, R. *See* REDFEARN, P., JR., 416+
MAGILL, ROBERT E. & BRUCE ALLEN. Recent Literature on Mosses—171, 135+
Marchantia berteroana, 351+
Masonhalea, 110; richardsonii, 113*
MATTOCK, TRACEY. *See* CLEAVITT, NATALIE, 416
MAY, PHILIP F. *See* SHEARD, JOHN W., 159+
MCCUNE, BRUCE et al. Repeatability of Community Data: Species Richness Versus Gradient Scores in Large-scale Lichen Studies, 40+
MCCUNE, BRUCE, JONATHAN DEY, JERI PECK, KARIN HEIMAN & SUSAN WILL-WOLF. Regional Gradients in Lichen Communities of the Southeast United States, 145+
MCCUNE, BRUCE. Ptychographa, a Lichen Genus New to North America, 239+
MCKINLEY, DANIEL. *See* MILLER, NORTON G., 198+
Medusulina chilena, 207
Meesia longiseta, 5
Melanelia, 110; halei, 151+; subaurifera, 151+
Menegazzia, 484; terebrata, 151+
Menziesia ferruginea, 385+
Metaneckera menziesii, 386+
METHVEN, ANDREW S. *See* WILSON, PENNI JO, 448+
Metzgeria temperata, 386+
Microscope slide mounting media, 380+
Mielichhoferia macrocarpa, 1
MILLER, NORTON G. Nomenclatural Status of the Moss Grevilleanum serratum, With Notes on the Early 18th Century American Scientists, L. C. Beck and E. Emmons, Senior, 198+
MILLER, NORTON G. & GERT STEEN MOGENSEN. Cyrtomnium hymenophylloides (Bryophyta, Miniaceae) in North America and Greenland: Male Plants, Sex-differential Geographical Distributions, and Reproductive Characteristics, 499+
MILLER, RANDALL F. Note on the Holotype of Thallites lichenoides, a Supposed Pennsylvanian Bryophyte, 89+
Mnium cuspidatum (glycerol mounts), 381; hornum, 226+, 505+; hymenophylloides, *503*; **orientale** sp. nov., 226+*m
MOGENSEN, GERT STEEN, GUNNAR RYLANDER HANSEN & MADS S. DALSGAARD. Pterygoneurum lammellatum, a Moss New to Greenland (Musci, Pottiaceae), 47+
MOGENSEN, GERT STEEN. *See* MILLER, NORTON G., 499+
Mojave desert (Syntrichia), 13+
Montia sibirica, 387
Morphological variation (Andreaea blyttii), 308+*
Mosses (commercial harvest), 383+
Mounting (bryophytes), 380+
MUELLER, DALE M. J. [Review of:] Lorentz C. Pearson. The Diversity and Evolution of Plants, 558
Muelleriella crassifolia, 351+
MUIR, PATRICIA S., ABBAS M. SHIRAZI & JAMES PATRIE. Seasonal Growth Dynamics in the Lichen Lobaria pulmonaria, 458+
Multiple-expert trials, 41
MUÑOZ, JESÚS. The Correct Name of Grimmia alpestris (Musci, Grimmiaceae), 517+
Myelochroa aurenta, 151+; aurulenta, 450+; galbina, 151+, 450+
Mylia, 362+

Nardia, 362+
NASH, THOMAS H., III, & HANNES HERTEL. Lecanora com-

oduensis (Lecanorales: Lecanoraceae), a New Species of Lichenized Fungi from the Sonoran Desert Region, 377+
NASH, THOMAS H, III. *See* ELIX, JOHN A., 482+
Neckera douglasii, 386+
NEITLICH, PETER N. *See* MCCUNE, BRUCE, 40+
NELLI, LUCA. *See* LOPPI, STEFANO, 251+
Neolindbergia, 346
Neotropics (Pseudoparmelia), 485+
Nephroma helveticum, 151+
Nephromopsis, 110; **laii** comb. nov., 111; pallescens, 110; **pallescens var. citrina** comb. nov., 110; stracheyii, 113*
New Zealand (Braginsella), 362+
Niche diversification (Sphagnum), 507+
NIMIS, PIER LUIGI & MAURO TRETIACH. A Revision of Tornabea, a Genus of Fruticose Lichens New to North America, 217+
Nimisia, 110
NMS (Nonmetric multidimensional scaling), 41, 148+
Nonmetric multidimensional scaling (NMS), 41, 148+
Norstictic acid, 451+, 484
Norstictic acid (Graphis saxorum), 207
Norstictic acid (Usnea), 283+
North America (Amandinea), 159+
North America (Caloplaca), 516
North America (Cyrtomnium hymenophylloides), 499+
North America (Fissidens taylorii), 525+
North America (Lichen Flora), 522+
North America (Mnium hornum), 226+
North America (Ptychographa), 239+
North America (Tornabea), 217+
North America (Usnea), 281+
Norway, Southern (Lasallia pustulata), 465+

Oceania (Breutelia), 324+
Octoblepharum albidum, 59+
Octogonella, 425+; scabrifolia, *431*+*
Odontoschisma, 363+; sphagni, 366
ODRZYKOSKI, IRENEUSZ. *See* WYATT, ROBERT, 226+
Oemleria cerasiformis, 385
Ohio River Valley, Upper (Lichen Recolonization), 478+
Oligotrichum hercynicum, 6
Ombrotrophic mires, 302+
On-frame audits, 41
Opegrapha, 239; fumosa, 523; thelotrematis, 523; vulgata, 450+
Orcinol depsides, 483

Oreas martiana, 6, 238
Oregon (harvestable bryophytes), 383+
Oregon, Western (Lobaria pulmonaria), 458+
Orthomnion, 346
Orthotrichales, 425
Orthotrichaceae, 425
Orthotrichum hallii, 238; lyellii, 386+; stellatum, 95
Oxyrrhynchium serratum, *85*
Oxystegus tenuirostris, 5
Ozark Mountain–Southern Appalachian Region, United States (Usnea), 284+

Palustriella, 98; commutata var. falcata, *99*; commutata var. sulcata, *99*; commutata var. virescens, *99*; decipiens, 98; falcata, 98
Pannaria leucophaea, 151+; leucosticta, 151+; rubiginosa, 151+; tavaresii, 151+
Papillaria crocea, 59+; flexicaulis, 59+
Paraparmelia, 483; scotophylla, 483
Paraporpidia glauca, 32
Parmelaria, 110
Parmelia atlantica, *220*; bipindensis, *496*; caperata, 251+; chapadensis, *488*; chlorea, *488*; ciliaris var. deformis, *220*; conspersa, 107; cubensis, *490*; cyphellata, *491*; endoxantha, *496*; ephebea, *220*; flavidoglauca, *496*; hypomiltha, *493*; leucochlora, *490*; pastillifera, 175+; regnellii, *494*; regnellii fo. arida, *485*; sphaerospora, *496*; squarrosa, 151+; sulcata, 102, 151+, 387; uleana, *496*; zenkeri, *496*
Parmeliella triptophylla, 151+
Parmelinopsis horrescens, 151+; hyperopta, 151+; minarum, 151+; spumosa, 151+; swinscowii, 151+
Parmentaria, 205
Parmotrema, 152+; arnoldii, 151+; austrosinense, 151+; barioense, 485; chinense, 151+; crinitum, 151+; cristiferum, 151+; dilatatum, 151+; eurysacum, 151+; gardneri, 151+; hypotropum, 151+, 450+; madagascariaceum, 151+; margaritatum, 151+; mellissii, 151+; michauxianum, 151+; perforatum, 151+; praesorediosum, 151+; rampoddense, 152+; rigidum, 152+; stuppeum, 152+; subsumptum, 152+; subtinctorum, 152+; tinctorum, 152+; ultralucens, 152+; xanthinum, 152+
PATRIE, JAMES. *See* MUIR PATRICIA S., 458+
PEARSON, LORENTZ C. The Diversity and Evolution of Plants [review], 558
PECK, JERI. *See* MCCUNE, BRUCE, 145+
PECK, JERILYNN E. The Association of Commercially Harvestable Bryophytes and Their Host Species in Northwestern Oregon, 383+
PECK, JERILYNN E. *See* MCCUNE, BRUCE, 40+
Pedinophyllopsis abdita, 352
Peltigera praetextata, 175
Peltula patellata ssp. australiensis, 32; spp., 32
Pennsylvania (fossil bryophyte), 89
Pertusaria glomerata, 241
Phaeophyscia, 152+; adiastola, 152+; cernohorskyi, 450+; ciliata, 152+, 450+; erythrocardia, 152+; hirtella, 450+; orbicularis, 450+; pusilloides, 152+, 450+; rubropulchra, 152+, 450+
Phascum robustum var. robustum, 32; vlassovii, 6
Phenology (Syntrichia), 13+
Philonotis, 324+; angustifolia, 354+; kilaueae, 325; stenodictyon, *338*
Physcia, 152+; aipolia, 152+; americana, 152+, 450+; crispa, 152+; intricata var. ephebea, *220*; millegrana, 152+, 450+; neogaea, 152+; pseudospeciosa, 152+; stellaris, 152+
Physciaceae, 159+, 217
Physciella chloantha, 152+
Physconia detersa, 152+, 450+; kurokawae, 450+
Picea sitchensis, 391
Piedmont, North Carolina, United States (Usnea), 284+
Placynthiella dasaea, 524; icmalea, 524
Plagiochila, 467+; bhutanensis, *473*; caulimammillosa, 471+; durelii, 470+*; eberhaldti, *475*; eberhardtii, 473+*; exigua, 473; grollei, 473+; **hyalodermica** sp. nov., 469+*; monolata, 474*; nitens, 476; oblonga, 475*; pseudorenitens, 471+*; retusa, 473; semidecurrens, 473+; stevensiana, 472+; subpropinqua, *473*; **zangii** sp. nov., 467+*; zonata, 468
Plagiomnium rostratum, 6; undulatum, 505
Plagiopus, 324+
Plagiothecium undulatum, 386+
Plasticity (Catillaria corymbosa), 171+
Platismatia, 110; glauca, 113*; tuckermanii, 152+
Platydictya subtilis, 95
Platygyrium repens, 96
Pleurotheliopsis erigens, 205
Pleurozygodontopsis, 425

Poa cookii, 351+*
Podperaea krylovii, 86
Pohlia, 4; annotina, 5; bulbifera, 5; obtusifolia, 6
Polypodium glycyrrhiza, 389
Polyptychium, 345
Polytrichum, 446; commune, 505; juniperinum, 445; longisetum, 5
Porella cordeana, 387; havicularis, 386+
Porina salicina, 450+
Pottia brevicaulis, 32; octoblepharis, *434*; spp., 32
Pottiaceae, 237+, 431, 520+
Pottiaceae (glycerol mounts), 381
Pottiaceae (Pterygoneurum), 47+
Pottiaceae (Syntrichia), 13
Principal components analysts (PCA), 308+
Protocetraric acid, 451+
Protocetraric acid (Usnea), 283+
Pseudevernia cladonia, 152+; consocians, 152+
Pseudocalliergon longicuspis, *80*
Pseudocyphellaria aurata, 152+; crocata, 152+
Pseudoparmelia, 482+; **arida** comb. nov., 484+*; **brakoana** sp. nov., 484+*; **buckiana** sp. nov., 484+*; chapadensis, 482+*; chlorea, 488+*; **convexa** sp. nov., 484+*; **cubensis** comb. nov., 484+*; cyphellata, 482+*; **floridensis** sp. nov., 484+*; **harrisiana** sp. nov., 484+; hypomiltha, 482+*; **kalbiana** sp. nov., 484+*; **regnellii** comb. nov., 484+*; **relicinoides** sp. nov., 484+*; sphaerospora, 482+*; **uleana** comb. nov., 484+*
Pseudotsuga menziesii, 391
Psiloparmelia, 485
Psora decipiens, 32
Psoromic acid (Usnea), 284+
Pterogonium trichocladium, 76
Pterygoneurum arcticum, 47; lamellatum, 47+m; ovatum, 47
Ptychographa, ?39+; xylographoides, 239+*
Ptychomitrium australe, 59+
Pulvinic acid, 451+
Pulvinic dilactone, 451+
Punctelia, 152+; appalachensis, 152+; hypoleucites, 103+; missouriensis, 152+, 450+; rudecta, 152+, 450+; semansiana, 152+ subrudecta, 152+
Pupal cocoons, 449
PURSELL, RONALD A. Fissidens taylorii, New to North America North of Mexico, 525+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 254+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 398+
PURSELL, RONALD A. *See* ALLEN, BRUCE, 537+
PURSELL, RONALD A. Taxonomic Notes on Neotropical Fissidens. II. An Addendum, 193+
Pyrenastrum tokyense, 205
Pyrenulaceae, 204+
Pyrrhospora varians, 164
Pyxine berteriana, 152+; caesiopruinosa, 152+; eschweileri, 152+; soredíata, 152+, 450+; subcinerea, 152+, 450+;

Quathlamba, 324

Racomitrium crispulum, 352; elongatum, 5; fasciculare, 5; heterostichum, 22; lanuginosum, 352+
Racopilum cuspidigerum, 59+
Rainforest (moss flora), 56+
Ramalina americana, 152+; capitata, 175; menziesii, 461; stenospora, 152+; willeyi, 152+; unifolia, 450+
RANDLANE, TIINA, ANDRES SAAG & ARNE THELL. A Second World List of Cetrarioid Lichens, 109+
Rarity (mosses), 1+
Recent Literature on Hepatics and Anthocerotes—147, 131+
Recent Literature on Hepatics and Anthocerotes—148, 272+
Recent Literature on Hepatics and Anthocerotes—149, 394+
Recent Literature on Hepatics and Anthocerotes—150, 529+
Recent Literature on Lichens—164, 123+
Recent Literature on Lichens—165, 262+
Recent Literature on Lichens—166, 404+
Recent Literature on Lichens—167, 545+
Recent Literature on Mosses—171, 135+
Recent Literature on Mosses—172, 254+
Recent Literature on Mosses—173, 398+
Recent Literature on Mosses—174, 537+
REDFEARN, P., JR., B. ALLEN & R. MAGILL. (EDS.) Mosses of the Interior Highlands Exsiccatae. Fascicle 1 [review], 416+
REESE, WILLIAM D. [Review of:] Jerry A. Snider & Barbara K. Andreas. A Catalog and Atlas of the Mosses of Ohio. Ohio Biological Survey Miscellaneous Contribution 2, 417
REESE, WILLIAM D. & LEWIS E. ANDERSON. **Leucodon andrewsianus** comb. et stat. nov., 92+
REESE, WILLIAM D. & WILLIAM LOUIS CULBERSON. One Hundred Years of The Bryologist. An Overview of the Editors, 1898 to the Present, with Notes on the History and Practices of the Journal and Its Society, 140+
Reference-plot study, 41
Reinkella parishii, 207
Relicina connivens, 485; kurandensis, 485
Reproductive biology (Syntrichia), 13+
Rhabdoweisiella papillosa, *431*
Rhachitheciaceae, 425+
Rhachitheciopsis, 425+; tisserantii, 428
Rhachithecium, 425+; brasiliense, 426; papillosum, 426+*; perpusillum, 425+*; tisserantii, *426*+*; transvaliense, 425; welwitschii, 426+
Rhamnus purshiana, 385+
Rhizomnium andrewsianum, 6; glabrescens, 389
Rhizomorphia lichenoides, 89
Rhodobryum ontariense, 5
Rhynchostegium, 72
Rhytidiadelphus loreus, 386+; triquetrus, 505
Riccia crinita, 32; lamellosa, 32; limbata, 32; nigrella, 32
Rimelia cerata, 152+; diffractaica, 152+; reticulata, 152+, 450+; simulans, 152+; subisidiosa, 152+
Rinodina, 159; ascociscana, 450+; cf. pachysperma, 450+; coloradiana, 162; dakotensis, *159*; finkii, *161*; glauca, 162; inaequalis, *161*; insperata, 168; metaboliza, 162; millaria, *162*; millaria f. incrassata, *162*; millaria f. obscura, *162*; millaria f. tenuis, *162*; pennsylvanica, *161*; petermannii, 159; populicola, 162; pyrina, 161; pyriniformis, *161*; subminuta, 450+; subplumbea, *161*
ROBINSON, HAROLD & MICHAEL S. IGNATOV. Brachythecium laetum (Brid.) B.S.G. The Correct Name for the Species Commonly Known as Brachythecium oxycladon, 359+
Rocella babingtonii, 207; fimbriata, 207
ROMAGNI, JOANNE & CORINNA GRIES. Assessment of Fire Damage to Epiphytic Lichens in Southeastern Arizona, 102+
ROSENZWEIG, MICHAEL L. Species Diversity in Space and Time [review], 556
RUSHING, ANN E. *See* CAROTHERS, ZANE B., 440+
RUSHING, ANN E. [Review of:] Shripad Agashe. Paleobotany. Plants of the Past, Their Evolution, Paleoenviron-

ment and Application in Exploration of Fossil Fuels, 557
RUSHING, ANN E. [Review of:] F. Demaret, T. Arts, J.-L De Sloover, & P. De Zuttere. Flora Générale de Belgique. Bryophytes, Volume III, Fascicle 2, pages 113–262, 557+
RYDIN, HÅKAN. Competition Between Sphagnum Species Under Controlled Conditions, 302+
Rynchostegiella (Eurynchostegiella) campylioides, *82*

SAAG, ANDRES. *See* RANDLANE, TIINA, 109+
Saitoa, *520*; peruviana, *520*
Saitobryum nom. nov., 520; **peruvianum** comb. nov., 520
Saitoella, *520*; peruviana, *520*
Salazinic acid, 451+
Salazinic acid (Usnea), 284+
SANCHO, LEOPOLDO G. *See* SOJO, FRANCISCA, 171+
Sanionia uncinata, 99
Saxicolous Usnea spp., 281+
SCHIMPER, KARL FRIEDRICH (Memorial), 423+*
Schistidium, 320
Schistostega pennata, 5
SCHOFIELD, WILFRED B. *See* TALBOT, STEPHEN S., 241+
SCHUSTER, RUDOLF M. On Braginsella, a New Genus of Jungermanniales from New Zealand, 362+
Sclerophyton, 207
Scoliciosporum chlorococcum, 450+; pruinosum, 524
Scorpidium, 72; cossonii, 99; revolvens, 100; scorpiodes var. miquelonense, *100*
Secalonic acid A, 483+
Secalonic acid C, 485+
Secalonic acids, 482+
Seligera, 438
Seligeriaceae, 438
SELKIRK, PATRICIA, *See* BERGSTROM, DANA, 349+
Sematophyllum, 431; sp., 59+
SEPPELT, RODNEY D. & DANA GRIFFIN, III. Ditrichum (Ditrichaceae, Musci) in the Americas. I. Ditrichum venezuelanum a Synonym of Ditrichum bogotense, 212+
SEPPELT, RODNEY D. [Review of:] S. J. Jarman & B. A. Fuhrer. Mosses and Liverworts of Rainforest in Tasmania and South-eastern Australia. 279+
SHEARD, JOHN W. & PHILIP F. MAY. A Synopsis of the Species of Amandinea (Lichenized Ascomycetes, Physiaceae) as Presently Known in North America, 159+
SHIRAZI, ABBAS M. *See* MUIR, PATRICIA S., 458+
SHOWMAN, RAY E. Continuing Lichen Recolonization in the Upper Ohio River Valley, 478+
Sierra Madre Occidental (Usnea), 284+
Skyrin, 451+
SLACK, NANCY. [Review of:] Michael L. Rosenzweig. Species Diversity in Space and Time, 556
SLETVOLD, NINA & GEIR HESTMARK. Thallus Growth Asymmetry and Habitat Inclination in Lasallia pustulata, 465+
SNIDER, JERRY A. & BARBARA K. ANDREAS. A Catalog and Atlas of the Mosses of Ohio. Ohio Biological Survey Miscellaneous Contribution 2 [review], 417
SO, MAY LING. *See* RICLEF GROLLE, 467+
SO, MAY-LING. *See* ZHU, RUI-LIANG, 356+
SOJO, FRANCISCA, FERNANDO VALLADARES & LEOPOLDO G. SANCHO. Structural and Physiological Plasticity of the Lichen Catillaria corymbosa in Different Microhabitats of the Maritime Antarctica, 171+
Solenostoma crenuliformis, 362; obovatum, 362; obscurum, 366; subg. Plectocolea, 362+; subg. Solenostoma, 362+; **totopapillosum** comb. nov., 366
Sonoran Desert region (Lecanora), 377
South America (Tortella knightii), 210+
Southeast Asia (Breutelia), 324+
Species richness (lichens), 40+
Spermatid (Andreaeobryum), 440+
Sphagnum, 4, 242, 445, 507+; balticum, 302+; capillifolium, 507+; cuspidatum, 303; fallax, 508+; fuscum, 302+, 507+; magellanicum, 507+; majus, 507+; rubellum, 507+; russowii, 508+; spp., 302+; subsecundum, 508+; tenellum, 302+, 507+
Spruceella, *434*
Staminergon stramineum, 100
STARK, LLOYD R. Phenology and Reproductive Biology of Syntrichia inermis (Bryopsida, Pottiaceae) in the Mojave Desert, 13+
Stegonia latifolia, 47
Stereodon (Heterophyllium) adscendens, *86*; creperus, *75*; lacerulus, *75*
Stereophyllum radiculosum, 59+
Sticta weigelii, 152+
Stictic acid, 451+, 484+, 523+
Stictic acid (Usnea), 283+
Stonea oleaginosa, 32
STREIMANN, HEINAR. *See* FENSHAM, RODERICK J., 56+
Synalissa symphorea, 32
Syntrichia caninervis, 25, 238; inermis, 13+*; norvegica, 25; ruralis, 13+; sinensis, 238
Syrrhopodon texanus, 96

Takakia ceratophylla, 443
TALBOT, SANDRA LOOMAN. *See* TALBOT, STEPHEN S., 241+
TALBOT, STEPHEN S., SANDRA LOOMAN TALBOT, JOHN W. THOMSON & WILFRED B. SCHOFIELD. Lichens of Adak Island, Central Aleutian Islands, Alaska, 241+
Taxus brevifolia, 385+
Tayloria acuminata, 6; froehlichiana, 6; hornschuchii, 6; splachnoides, 6
Teloschistes bioreti, *220*; intricatus, *220*
Tephromela, 377+
Tetraphis pellucida, 445
Texas (Usnea), 285+
Thallites lichenoides, 89+*
Thallus asymmetry (Lasallia pustulata), 465+
Thamnobryum neckeroides, 6
Thamnolic acid, 451+
Thamnolic acid (Usnea), 283+
THELL, ARNE. *See* RANDLANE, TIINA, 109+
Thelotrema lepadinum, 523; macrosporum, 523
THIERS, BARBARA M. & WILLIAM R. BUCK. Recent Literature on Hepatics and Anthocerotes—147, 131+
THIERS, BARBARA M. & WILLIAM R. BUCK. Recent Literature on Hepatics and Anthocerotes—149, 394+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 272+
THIERS, BARBARA M. *See* BUCK, WILLIAM R., 529+
THOMSON, JOHN W. *See* TALBOT, STEPHEN S., 241+
THOMSON, JOHN W. [Review of:] Ulrich Kirschbaum & Volkmar Wirth. Flechten erkennen—Luftgüte bestimmen, 277+
Thuidium, 446; decipiens, *98*; delicatulum, 445; sparsum var. sparsum, 59+
Tierra del Fuego (Tortella knightii), 210+
Timmia cucullata, 199+; megapolitana, 199+; sibirica, 6
Timmiella, 445
Tisserantiella, 425+; minutissima, 433; pulchella, 433; spathulata, 433
TØNSBERG, TOR. Additions to the Lichen Flora of North America VI, 522+
Tornabea, 217+; atlantica, *220*; californicus, 223; ephebea, 217+, 220; scutellifera, 217+*m
Tornabenia ephebea, *223*; intricata, *223*; montagnei, *223*
TORRENTE, PILAR. *See* EGEA, JOSÉ M., 207+
Tortella fragilis, 210; fruchartii, 211; hosseusii, 211; hu-

milis, 210; japonica, 210; knightii, 210+; perufula, 211; pseudocaespitosa, 211; pseudocaespitosa var. brachybasis, 211; pseudocaespitosa var. pungens, 211; tortuosa, 210; tortuosa var. arctica, 210; xanthocarpa, 210
Tortula atrovirens, 13; inermis, *13*; pagorum, 28
TOZER, MERRIN E. *See* ELDRIDGE, DAVID J., 28+
Trace elements (lichen thallus), 251+
Trachyphyllum inflexum, 59+
Trebouxia, 220
TREMBLEY, MARCELLA L., DIANNE FAHSELT & SUSAN MADZIA. Localization of Uranium in Cladina rangiferina and Cladina mitis and Removal by Aqueous Washing, 368+
Trentepohlia, 186, 204, 207
TRETIACH, MAURO. *See* NIMIS, PIER LUIGI, 217+
Trichostomum brachydontium, 59+; fragilifolium, 210; perligulatum, 13; pulvinatum var. alpestre, *517+*; sweetii, 13+
Trigonodictyon, 425
Triterpenoids, 451+
Tuckermannopsis, 110; ciliaris, 113*, 241; inermis, 110; platyphylla, 110; subalpina, 110
Tuckneraria, 110
TWINSPAN, 58

Ulea nitida, *437*; octoblepharis, *434*; palmicola, *437*; welwitschii, *430*
Uleastrum, 425+; nitidum, *433+*; octoblephare, *433*; palmicola, *429+**; paraguensis, 433
Ulota crispa, 95; curvifolia, 5
Umbilicaria proboscidea, 241
United States, Southeast (lichen communities), 145+
UPGMA phenogram, 230
Uranium uptake and removal (Cladina), 368+
Usnea, 152+; aciculifera, 152+; amblyoclada, 281+*m; **ammannii** sp. nov., 283+*m; articulata, 283; barbata var. amblyoclada, *285*; bornmuelleri aggr., 286; cavernosa, 291; ceratina, 152+, 282+; chilensis, 296; cornuta, 152+, 283+; dasaea, 152+, 281+*m; diplotypus, 281+; dolosa, *295*; esperantiana, 300; feeana, 296; filamentosa, 296; filipendula, 284, 461; filipendula group, 387; flammea, 284+; florida, 300; foveata, *291*; fragilescens, 289; fragilescens var. fragilescens, 283; fulvoreagens, 289; furfurosula, 296; galbinifera, *295*; globularis, *285*; **halei** sp. nov., 283+*m; herrei, 281+; hesperina, 152+, 284+; hirta, 291; lapponica, 289; leprosa, *296*; longissima, 461; madeirensis, 152+; mutabilis, 152+, 283+, 450+; **nashii** sp. nov., 282+*m; occidentalis, 152+; pulvinata, 286; rubicunda, 152+, 284+; spilotoides, 296; spinigera, *295*; spinigera fo. subnuda, *295*; spinulifera, *296*; strigosa, 152+, 300; strigosella, 296; subfloridana, 152+; subfusca, 281+; subgenus Usnea, 281+; subscabrosa, 152+, 284+; substerilis, 289; undulata, *296*; wirthii, 284+
Usnic acid, 451+, 483+, 523
Usnic acid (Usnea), 286+

Vaccinium parvifolium, 385+
VALLADARES, FERNANDO. *See* SOJO, FRANCISCA, 171+
Verrucaria punctata, *165*
Verrucidens microcarpa, 351; spp., 352; tortifolia, 351
VĚZDA, ANTONIN. *See* HARADA, HIROSHI, 454+
VIRTANEN, VIIVI. The Genus Breutelia (Bartramiaceae, Musci) in Southeast Asia and Oceania, 324+
VITT, DALE H. & RENÉ J. BELLAND. Attributes of Rarity Among Alberta Mosses: Patterns and Prediction of Species Diversity, 1+
Voitia nivalis, 6
Vulpicida, 110

Warming of climate (bryophyte distribution), 349+
Warnstorfia pseudostraminea, 100; sarmentosa, 100
WEBER, WILLIAM A. *See* ZANDER, RICHARD H., 237+
Weissia condensa, 14; controversa, 6
WETMORE, CLIFFORD M. The Typification of Caloplaca chlorina, 170
WIGGINTON, MARTIN J. & RICLEF GROLLE. Catalogue of the Hepaticae and Anthocerotae of Sub-Saharan Africa. Bryophytorum Bibliotheca 50:1–267 [review], 556+
WILL-WOLF, SUSAN. *See* MCCUNE, BRUCE, 40+
WILL-WOLF, SUSAN. *See* MCCUNE, BRUCE, 145+
WILSON, PENNI JO, & ANDREW S. METHVEN. Lichen Use by Larval Leucochrysa pavida (Neuroptera: Chrysopidae), 448+
WYATT, ROBERT, IRENEUSZ J. ODRZYKOSKI & TIMO KOPONEN. **Mnium orientale** sp. nov. from Japan is Morphologically and Genetically Distinct from M. hornum in Europe and North America, 226+
WYATT, ROBERT. [Review of:] Peter C. Hoch & A. G. Stephenson. Experimental and Molecular Approaches to Plant Biosystematics, 278+

Xanthone, unidentified, 522
Xanthoparmelia, 483; conspersa, 483; spp., 32
Xanthoparmelia-type lichenan, 483
Xanthoria parietina, 102; sp. #1, 450+
Xizang, China (Plagiochila durelii), 473
Xylographa, 239

Yunnan, China (Plagiochilla), 467+

ZANDER, RICHARD H. On Mounting Delicate Bryophytes in Glycerol, 380+
ZANDER, RICHARD H. Three Nomenclatural Changes in Pottiaceae (Musci), 520+
ZANDER, RICHARD H. & WILLIAM A. WEBER. Didymodon anserinocapitatus (Musci, Pottiaceae) New to the New World, 237+
Zanderia gen. nov., 425+
Zanderia octoblepharis comb. nov., 434*
Zeorin, 451+, 522+
ZHU, RUI-LIANG & MAY-LING SO. Frullania fengyangshanensis (Hepaticae), a New Species from China, 356+
Zygodon, 425; welwitschii, *430*